

CUMULATIVE INDEX 1999

Volume 16

January	CLINICAL NEUROLOGY, pages 1-213
April	RHEUMATOLOGIC DISORDERS OF THE FOOT AND ANKLE, pages 215-397
July	POSTERIOR TIBIAL TENDON DYSFUNCTION, pages 399-582
October	FOOT AND ANKLE TRAUMA, pages 583-833

Note: Page numbers of article titles are in **boldface** type

- ABC syndrome, in erythromelalgia, 64
Accessory navicular, posterior tibial tendon dysfunction and, 571-573
Acetylcholine receptor antibodies, in myasthenia gravis, 56, 74
Achilles tendon, anatomy of, 617-618
rheumatoid arthritis of, 380
rupture of, 229, **617-630**
diagnosis of, 622-625
etiology of, 618-619
risk factors for, 619-621
treatment of, 625-628
Achilles tendon reflex, evaluation of, 15
Acrocyanosis, symptoms of, 64
Acroosteolysis, radiographic evaluation of, in systemic lupus erythematosus, 250
Action potentials, in electromyography, 24
Alcoholic neuropathy, 92
Allodynia, in neurologic disorders, 51
Ambulatory aids, in rheumatoid arthritis, 382
Amplitude, in nerve conduction studies, 22
Amyloidosis, peripheral neuropathy in, 85
Amyotrophic lateral sclerosis, diagnosis of, 69
symptoms of, 57-58
versus compression and entrapment neuropathies, 122-123
Ankle, anatomy of, 680-684
chronically mechanically unstable, surgical management of, 670-671
foot and, trauma to, **583-812**
fracture of, with complete syndesmotic disruption, 682, 683
lateral, injuries of, evaluation and management of, **659-678**
ligaments of, 660
malleolar fractures of. See *Malleolar fractures*.
physeal fractures of, **793-818**
classification of, 796-799, 800
clinical evaluation of, 801-803
closed reduction of, 805-806
complications of, 806-810
Dias and Tachdjian classification of, 799, 800
incidence of, 795
pathophysiology of, 795-796
Peterson classification of, 798
radiographic evaluation of, 803-804
Salter and Harris classification of, 796-797, 799
surgical treatment of, 806
treatment of, 804-810
syndesmosis of, anatomy of, 673, 682
complete disruption of, in fracture of ankle, 682, 683
evaluation of, in malleolar fractures, 709-710
fixation of, in malleolar fractures, 710-712
in normal ankle function, 683-684
injuries of, 673, 682-683
transitional physeal injuries of, 801, 802, 803
Ankle-foot orthoses, for posterior tibial tendon dysfunction, 447-450
in neuromuscular disorders, 163-169
ankle joints for, 163-166
classic double upright, 163
plastic, molded, 167-169

- Ankle-foot orthoses (*Continued*)
 Scott-Craig, 164
 split stirrup, 164–165
 uses of, 166
 veteran's administration posterior clasp, 163
 in patellar tendon bearing braces, 170–171
- Ankle joint, biomechanics of, 266–267, 680, 684–685
 rheumatic disease of, pathomechanics of, 266–267
 rheumatoid arthritis of. See *Rheumatoid arthritis, of ankle; Rheumatoid arthritis, of tibiotalar joint*.
 Ankle sprain(s), clinical history and examination in, 661–663
 high, 673–674
 incidence of, 659
 injuries mimicking, 659
 lateral, acute, classification of, 667–668
 anatomy and pathomechanics of, 660–661
 associated pathology of, 662
 management of, conservative, 668–669
 surgical, 670–673
- Ankle tilt board, 668, 670
- Ankylosing spondylitis, radiographic evaluation of, 231
 treatment of, 280–281
- Ankylosis, radiographic evaluation of, in psoriatic arthritis, 237, 239
- Antalgic gait, in leg pain, 148
- Anterior drawer test, in lateral ankle injuries, 663, 665
- Anterior horn cell diseases, symptoms of, 57–58
- Anterior tarsal tunnel syndrome, 118
- Anterior tibial tendon, split, in posterior tibial tendon augmentation (Cobb procedure), 471–477
- Antibiotics, in gunshot wounds of lower extremity, 612–613
 in puncture wound of foot, 593–595
 in rheumatoid arthritis, 280
- AO classification, of pilon fractures of distal tibia, 751, 752, 753
- Aorta, diseases of, neurologic symptoms in, 61, 63
- Arches, flattening of, in rheumatoid arthritis, 328
- Areflexia, in neurologic disorders, 53
 in peripheral neuropathy, 53
 in Roussy-Lévy syndrome, 91
- Arthralgia, definition of, 260
- Arthritis, definition of, 260
 degenerative, radiographic evaluation of, 245–248
 in triple arthrodesis, 544–546
 inflammatory, types of, 225
- posttraumatic, following calcaneal fractures, 787–788
 psoriatic, radiographic evaluation of, 234–235, 237–239
 treatment of, 281–282
- rheumatoid. See *Rheumatoid arthritis*.
- Arthrodesis, calcaneocuboid. See *Calcaneocuboid arthrodesis; Triple arthrodesis*.
- double, in posterior tibial tendon dysfunction, 546–547
 in athletes, 568–570
- in rheumatoid arthritis, ankle, 385–386
 calcaneocuboid, 320, 322–324
 first metatarsophalangeal, 297–298
 interphalangeal, 294
 metatarsocuneiform, 317–321
 navicular-cuneiform, 316–317
 subtalar, 333–334
 talocrural, 385
 talonavicular, 313–316, 331–333, 383
 tarsometatarsal, 317–321
 tibiotalar. See *Rheumatoid arthritis, of tibiotalar joint*.
 triple, 313, 334–335, 383–384
- primary, in comminuted calcaneal fractures, 763
 in severe pilon fracture, 763
 subtalar. See *Subtalar joint, arthrodesis of*
 talocalcaneal, in triple arthrodesis. See *Triple arthrodesis*.
- talonavicular. See *Talonavicular arthrodesis*.
- triple. See *Triple arthrodesis*.
- Arthroereisis, of subtalar joint, 413–414
- MBA implant in, 481–490, 503–504
- Arthrography, of ankle, in lateral ankle injuries, 665–666, 667
- Arthroplasty, in rheumatoid arthritis, ankle, 342, 386
 first metatarsophalangeal joint, 296–297
 in hallux valgus, 368–369
 metatarsal head, 295–297
- Arthroscopy, in arthrodesis, ankle, 386
 tibiotalar, 345
 in osteochondral lesions of talar dome, 738, 739
 in rheumatic disease, 261
- Asymmetric axonal polyneuropathy, versus compression and entrapment neuropathies, 121
- Ataxia, cerebellar, 136–137, 147
 sensory, 147–148
- Athletes, posterior tibial tendon dysfunction in, 557–577
 accessory navicular, 571–573
 anatomic considerations in, 558–559
 dislocation, 570–571
 exertional compartment syndrome, 573–575

- tears, 559, 561–569
 tenosynovitis, 559–562, 564–565, 575
- Auranofin, in rheumatoid arthritis, 277
- Aurothioglucose, in rheumatoid arthritis, 277
- Autonomic neuropathy, diagnosis of, 71
- Autonomic neuropathy, in diabetes mellitus, 84
- Avascular necrosis, in triple arthrodesis, 544
- Axes, of joint, 261–262
- Axonotmesis, definition of, 20, 72
 pathophysiology of, 100, 184
- Axon(s), degeneration of,
 electromyography in, 28
 neuropathy of, symptoms of, 53–54
 regeneration of, in nerve injury, 72
 transport in, 19
- Azathioprine, in rheumatoid arthritis, 280
- Babinski's reflex and sign, 52
 evaluation of, 15–16
- Baker's cyst, tibial nerve compression and entrapment in, 107
- Balance, lower extremity axis of, in orthoses, 158–159
- Ballistics, wound. See *Wound ballistics*.
- Beriberi, peripheral neuropathy in, 90
- Berndt-Harty classification, of osteochondral lesions of talar dome, 728, 729
- Bilotti and Dobbs procedure, for rheumatoid arthritis forefoot reconstruction, 292
- Bio-Thesiometer, in sensory examination, 31, 36–39, 42–44
- Biomechanics, of joints, ankle, 266–267, 684–685
 axes, 261
 axis position, 262
 clinical stance, 265–266
 degrees of freedom, 262
 foot motion definition, 261–262
 forces acting on stability, 263–264
 functional adaptation (Wolff's Law), 262–263
 gait cycle, 265
 gait examination, 265–266
 hinges, 261
 hypermobility, 264–265
 in rheumatoid arthritis, of forefoot, 288–289
 metatarsophalangeal, 269
 midtarsal, 268
 neutral position, 263
 planes of motion, 261
 subluxation, 264–265
 subtalar, 267–268
- symmetry, 263
 terminology of, 260
 of metatarsals, 645
- Biopsy, nerve, in peripheral neuropathy, 83
- Blake foot orthosis, 160, 162
- Blisters, fracture, after calcaneal fractures, 771–773
- Block balance testing, in orthoses, 160
- Bone, mineralization of, radiographic evaluation of, in rheumatic disease, 216–217
 in systemic lupus erythematosus, 250
- production of, radiographic evaluation of, in gout, 240–241
 in hemophilia, 248
 in osteoarthritis, 245
 in psoriatic arthritis, 237
 in Reiter's syndrome, 233
 in rheumatic disease, 219, 221, 223
 in rheumatoid arthritis, 227–228
- Bone graft, in arthrodesis, in rheumatoid arthritis reconstruction, 311–312
 in subtalar joint arthroereisis, 413
 in triple arthrodesis, 539–540
- Bone morphogenic protein, in rheumatoid arthritis reconstruction, 312
- Bone scan(s), in osteochondral lesions of talar dome, 731, 732
 in rheumatoid arthritis, 307–308
 in stress fractures, 635, 638
- Boot top neuropathy, 118
- Bradykinesia, in Parkinson's disease, 128–129
- Brain, in postural control, 142
 lesions of, symptoms of, 60
- Brostrom-Gould procedure, in lateral ankle injuries, 671–672
- Calcaneal fractures, 769–791
 classification of, 774–775, 776
 clinical evaluation of, 771–773
 compartment syndrome in, 773
 complications of, 787–789
 extra-articular, 775–778, 779
 fracture blisters after, 771–773
 intra-articular, 779–787
 closed treatment of, 781–783
 mechanism of injury in, 779–780, 781
 surgical treatment of, 783–787, 788, 789
 radiographic evaluation of, 773–775, 776
- Calcaneocuboid arthrodesis, in posterior tibial tendon dysfunction, in double arthrodesis, 546–547, 568–570
 in triple arthrodesis. See *Triple arthrodesis*.
- Calcaneocuboid joint, arthrodesis of, in rheumatoid arthritis, 320, 322–324

- Calcaneus, anatomy of, 769–770
 motion of, in planar dominance, 411–412
 neutral triangle of, 770
 osteotomy of, in midtarsal joint stabilization, 415
 in posterior tibial tendon dysfunction, 417, 491–499
 complications of, 497–498
 goals of, 494–495
 historical review of, 491–492
 outcome of, 492–494
 postoperative management of, 497
 presurgical criteria for, 495
 rationale for, 496
 slide type, 417–418
 technique for, 496–497
 rheumatoid arthritis of, 329
- Calcification, soft-tissue, in calcium pyrophosphate dihydrate crystal deposition disease, 244
 radiographic evaluation of, in calcium hydroxyapatite crystal deposition disease, 243
 in polymyositis, 253
 in rheumatic disease, 224
 in scleroderma, 252
 in systemic lupus erythematosus, 250–251
- Calcium hydroxyapatite crystal deposition disease, radiographic evaluation of, 242–244
- Calcium pyrophosphate dihydrate crystal deposition disease, radiographic evaluation of, 244–245
- CAM ankle joint, for orthoses, 169
- Cancer, paraneoplastic syndromes in, peripheral neuropathy in, 93–94
- Catechol-O-methyltransferase inhibitors, in Parkinson's disease, 131
- Cerebellar disorders, gait disorders in, 136–137, 144–145, 147
- Charcot-Marie-Tooth disease, 91
- Charnley compression device, for tibiotalar arthrodesis, 343–344
- Chisel toe, in rheumatoid arthritis, 365
- Chondrocalcinosis, in calcium pyrophosphate dihydrate crystal deposition disease, 244
- Chorea, in Huntington's disease, 136
- Chrisman-Snook procedure, for lateral ankle stabilization, 672–673
- Clasp-knife phenomenon, in spasticity, 12
- Claudication, in vascular disease, 61
- Clayton procedure, for rheumatoid arthritis forefoot reconstruction, 292
- Clonus, in neurologic disorders, 52
- Cobb procedure, in posterior tibial tendon dysfunction, 471–477
 historical perspective of, 471–472
 indications for, 472
- results of, 473, 476
 technique for, 472–475
- Coiled reserve length, of nerve vascular system, 180, 182
- Collagen vascular diseases, radiographic evaluation of, 249–253
- Collateral sprouting, after neurectomy, 201
- Compartment syndrome, exertional, posterior tibial tendon dysfunction in, 573–575
- in calcaneal fractures, 773
- Compensatory sensation, after neurectomy, 201
- Complex regional pain syndrome, versus compression and entrapment neuropathies, 123–124
- Compression and entrapment neuropathies, 97–125
 anatomic considerations in, 98, 102–104
 classification of, 99–100
 definitions of, 97
 diagnosis of, 72–73
 differential diagnosis of, 120–124
 interdigital, 111–113, 193–195
 pathophysiology of, 98–100
 peroneal, 113–118
 plantar, 27, 110–111
 proximal nerve, 120
 recurrent, 199–200
 saphenous, 119–120
 sural, 118–119
 surgical treatment of. See *Nerve(s), surgery on*
 tibial, 101, 105–113
- Compression arthrodesis, in rheumatoid arthritis, ankle, 385
 tibiotalar, 343–344
- Compression blade plate fixation, of tibiotalar arthrodesis, 345–346
- Computed tomography, in malleolar fractures of ankle, 701
 in osteochondral lesions of talar dome, 731, 732
 in posterior tibial tendon dysfunction, 562
 in rheumatoid arthritis, 380–381
 of physeal fractures of ankle, 803–804
- Computer-Aided Sensory Evaluator (CASE), in sensory examination, 31, 41–42
- Conduction velocity, in nerve conduction studies, 22–23
- Connective tissue disease, peripheral neuropathy in, 88
- Consultation, neurologic, 2, 10
- Contamination, of gunshot wounds, 608–609
- Coonrad-Bugg trapping, 712
- Cortical sensory function, assessment of, 9–10

- Corticobasalganglionic degeneration, 134
 Corticosteroids, in rheumatoid arthritis, 273-275
 preoperative withdrawal of, 341
 Cramps, in motor neuron disorders, 68
 Crystal deposition diseases, radiographic evaluation of, 239-245
 calcium hydroxyapatite, 242-244
 calcium pyrophosphate dihydrate, 244-245
 gout, 239-242
 Cup and saucer appearance, in psoriatic arthritis, 237
 Current perception threshold, assessment of, 31, 39-41
 Custom-molded shoes, for posterior tibial tendon dysfunction, 444
 Cyclosporine, in rheumatoid arthritis, 278-279
- Dactylitis, definition of, 260
 Danis-Weber classification, of malleolar fractures, 686-687
 Deep tendon reflexes, abnormalities of, 52-53
 assessment of, 14-16, 52
 Degenerative joint diseases, radiographic evaluation of, 245-248
 hemophilia, 247-248
 osteoarthritis, 245-247
 Degrees of freedom, in joints, 262
 Dejerine-Sottas disease, 91
 Deltoid ligament, rupture of, repair of, 695
 Demineralization, bone, radiographic evaluation of, in rheumatic disease, 216-217
 in systemic lupus erythematosus, 250
 Demyelinating disorders,
 electromyography in, 27-28
 polyneuropathy, versus compression and entrapment neuropathies, 120-121
 Refsum's disease, 92
 segmental, 54
 symptoms of, 54
 Dermatomes, 103-104
 in sensory examination, 6-7
 Dermatomyositis, diagnosis of, 77
 radiographic evaluation of, 252-253
 Diabetes mellitus, neuropathic
 osteoarthropathy in, radiographic evaluation of, 253-255
 puncture wounds of foot in, 589
 Diabetic neuropathy, 83-85
 autonomic dysfunction with, 84
 classification of, 83
 complications of, 83
 pathogenesis of, 84
 prevalence of, 83
 sensory examination in, Bio-Thesiometer in, 38-39
 equipment comparison for, 42-44
 Neurometer CPT/C in, 31, 39-41
 Semmes-Weinstein monofilaments in, 33-34
 Tactile Circumferential Discriminator in, 35
 symptoms of, 84
 treatment of, 84-85
 Dias and Tachdjian classification, of physeal fractures of ankle, 799, 800
 Differential diagnosis, in neurologic disorders, 49-66
 acrocyanosis, 64
 anterior horn cell, 57-58
 brain, 60-61
 compression and entrapment neuropathies, 120-124
 erythromelalgia, 64
 general symptoms and signs, 50-53
 muscle, 55
 nerve plexus and root, 56-57
 neuromuscular junction, 55-56
 peripheral neuropathy, 53-55
 Raynaud's phenomenon, 64
 reflex sympathetic dystrophy, 63
 spinal cord, 58-60
 trench foot, 64
 vascular-origin, 61-63
 Diplegia, spastic, 146
 Disease-modifying antirheumatic drugs, 275-278
 Dislocation, of joints, radiographic evaluation of, in rheumatic disease, 221
 Distal latency, in nerve conduction studies, 22
 DMARDs (disease-modifying antirheumatic drugs), 275-278
 Dopamine replacement, in Parkinson's disease, 130-131
 Double-action ankle joint, for orthoses, 164-165
 Double arthrodesis, in posterior tibial tendon dysfunction, 546-547
 in athletes, 568-570
 Double crush hypothesis, in nerve injury, 187
 Dowel fusion, in triple arthrodesis, in posterior tibial tendon dysfunction, 537
 Drop foot. See *Foot drop*.
 Drugs, peripheral neuropathy from, 85-86
 Dysesthesia, in neurologic disorders, 51
 peripheral neuropathy, 82
 tarsal tunnel syndrome, 108
 Dyskinesia, in Parkinson's disease, 132
 Dystonia, 134-135

- Edrophonium test, in myasthenia gravis, 56, 74
- Elderly persons, gait in, 149
- Electrodes, in electromyography, 24–25, 27
- Electrodiagnostic studies, in amyotrophic lateral sclerosis, 69
in myopathy, 75
in peripheral neuropathy, 83
in sensory function, 30
- Electromyography, 19–28
in amyotrophic lateral sclerosis, 69
in axonal degeneration, 28
in demyelinating disorders, 27–28
in myasthenia gravis, 56
in peroneal nerve injury, 117
instrumentation for, 24–26
methodology of, 26–27
neurophysiology of, 19
pathophysiology of, 20–21
terminology of, 24
- Endoneurium, physiology of, 178
- Enthesitis, radiographic evaluation of, in psoriatic arthritis, 239
in rheumatic disease, 219, 221
- Enthesopathy, definition of, 260
radiographic evaluation of, in ankylosing spondylitis, 231
in osteoarthritis, 247
- Entrapment neuropathy. See *Compression and entrapment neuropathies*.
- Epineurium, physiology of, 179
repair of, 196–197
- Equinus deformity, with posterior tibial tendon dysfunction, treatment of, 511
- Erosion, of joints, radiographic evaluation of, in ankylosing spondylitis, 231
in gout, 240
in psoriatic arthritis, 237–238
in Reiter's syndrome, 233
in rheumatic disease, 217, 219–220, 222
in rheumatoid arthritis, 226–227, 288
in scleroderma, 252
- Erythromelalgia, symptoms of, 64
- Etrexate, in psoriatic arthritis, 282
- Evans osteotomy, in midtarsal joint stabilization, 415
in posterior tibial tendon dysfunction, 417, 492–493
- Exercise, compartment syndrome in, 573–575
in posterior tibial tenosynovitis, 565
in rheumatoid arthritis, of forefoot, 367 of rearfoot, 381
- Extended Thomas heel shoe modification, for posterior tibial tendon dysfunction, 446
- External fixation, of tibiotalar arthrodesis, 343–344
- F wave, in nerve conduction studies, 23
- Fascicles, nerve, structure of, 178
- Fasciculations, in motor examination, 11
- Femoral nerve, injury of, lower leg disorders in, 120
- Femur, rotation of, in planar dominance, 409–410
- Festination, of gait, 146
- Fibrillation potentials, in electromyography, 24
- Fibrosis, nerve, neurolysis of, 189–192
- Fibula, fracture(s) of, and malleolar fractures, treatment of, 705–709 with pilon fracture, 745, 746
- Filaments, Semmes-Weinstein, in sensory examination, 32–34, 42–44, 187
- Flanged heel shoe modification, for posterior tibial tendon dysfunction, 445
- Flatfoot, in posterior tibial tendon dysfunction. See *Posterior tibial tendon dysfunction*
- in rheumatoid arthritis. See *Rheumatoid arthritis, of midfoot*.
terminology of, 407–408
- Flexor digitorum longus, tenodesis of, in posterior tibial tendon dysfunction, 459–463, 466
- transfer of, in posterior tibial tendon dysfunction, 463–465, 467, 503, 566
- Flexor hallucis tendon, transfer of, in posterior tibial tendon dysfunction, 468, 503
- Flexor retinaculum, repair of, in posterior tibial tendon dysfunction, 571
- tibial nerve entrapment in, 108–110
- Folic acid deficiency, peripheral neuropathy in, 90
- Foot, and ankle, trauma to, 583–812
rheumatoid arthritis of. See *Rheumatoid arthritis, of rearfoot*.
- Foot drop, ankle-foot orthoses for, 163, 166
- gait in, 148
- in alcoholic neuropathy, 92
- in peroneal nerve compression and entrapment, 116
- Footgear. See *Shoes*.
- Footwear. See *Shoes*.
- Forces, foot stability and, 263–264
- Forefoot, rheumatoid arthritis of. See *Rheumatoid arthritis, of forefoot*.
- Fowler procedure, for rheumatoid arthritis forefoot reconstruction, 292
- Fracture blisters, after calcaneal fractures, 771–773
- Fractures, calcaneal. See *Calcaneal fractures*. caused by gunshot wounds, treatment of, 611–612
- malleolar. See *Malleolar fractures*.
- metatarsal. See *Metatarsal(s), fractures of*.

- stress. See *Stress fractures*.
 tibial nerve compression and entrapment in, 107–108
 transchondral, 726
 Freedom, degrees of, in joints, 262
 Freezing episodes, in Parkinson's disease, 129
 Frontal gait disorders, 147
 Functional adaptation (Wolff's Law), of joints, 262–263
 Fusion. See *Arthrodesis*.
- Gaffney ankle joint, for orthoses, 169
 Gait, ankle joint motion during, 684–685
 biomechanics of, 265
 evaluation of, 265–266
 in posterior tibial tendon dysfunction, 442
 in rheumatoid arthritis, of forefoot, 288, 305–306, 365
 posterior tibial tendon function in, 402
 Gait disorders, 141–151
 antalgic, 148
 ataxia, 147
 classification of, 145
 examination of, 144–145
 festination, 146
 frontal, 147
 hemiparetic, 145–146
 hysterical, 149
 in central lesions, 145–147
 in cerebellar disorders, 136–137
 in corticobasalganglionic degeneration, 134
 in movement disorders. See *Movement disorders*.
 in Parkinson's disease, 129
 in peripheral lesions, 147–148
 in peroneal nerve compression and entrapment, 116
 in progressive supranuclear palsy, 132–133
 levels of, 145
 limping, 148
 parkinsonian, 146
 program versus nonprogram, 145
 scissors, 146
 senile, 149
 sensory ataxia, 147–148
 spastic paraparetic, 145–146
 steppage, 148
 treatment of, 150
 Trendelenburg, 148
 versus normal gait, 142–144
 waddling, 148
 Gillet ankle joint, for orthoses, 169
 Gold compounds, in rheumatoid arthritis, 277
 Gout, radiographic evaluation of, 239–242
 Graft, nerve, 198
 Graphesthesia, assessment of, 10
 Grimm classification, of gait disorders, 145
 Growth plate, phseal, anatomy of, 794
 Guillain-Barré syndrome, 54
 versus compression and entrapment neuropathies, 121
 Gunshot wound(s), contamination of, 608–609
 débridement of, 610–611
 fractures caused by, treatment of, 611–612
 irrigation of, 609–610
 lead intoxication caused by, 613
 of lower extremity, antibiotics in, 612–613
 to lower extremity, 597–615
 classification of, 605–606
 treatment of, 606–613
 Type III, management of, 606–607
 Type IV, management of, 607, 608
- H reflex, in nerve conduction studies, 23
 Hallux, movement of, in proprioception assessment, 8
 Hallux rigidus, in rheumatoid arthritis, 365
 Hallux tortus, in rheumatoid arthritis, 365
 Hallux valgus, in rheumatoid arthritis, 287, 364–365
 surgical treatment of, 368–369
 Hammertoes, in rheumatoid arthritis, 286
 Hansen's disease, peripheral neuropathy in, 86–87
 sensory examination in, Semmes-Weinstein monofilaments in, 33
 Heel pain, in rheumatoid arthritis, 379
 Helfet Heel Seat, for posterior tibial tendon dysfunction, 444
 Hemiparesis, in neurologic disorders, 51
 Hemiparetic gait, 145–146
 Hemiphinctomy, in rheumatoid arthritis, 292–294
 Hemiplegia, in neurologic disorders, 51
 Hemophilia, joint degeneration in, radiographic evaluation of, 247–248
 Hereditary motor-sensory neuropathy, 91
 Hindfoot, rheumatoid arthritis of. See *Rheumatoid arthritis, of rearfoot*.
 Hinges, of joint, 261
 Hip, function of, in planar dominance, 409–410
 Hip-knee-ankle-foot orthoses, in neuromuscular disorders, 172–173
 History, in neurologic examination, 3–4
 Hodson and Dobbs procedure, for rheumatoid arthritis forefoot reconstruction, 292

- Hoffman procedure, for rheumatoid arthritis forefoot reconstruction, 291–292, 294
- Hoke (navicular-cuneiform) arthrodesis, in rheumatoid arthritis, 316–317
- Horizontal arch, flattening of, in rheumatoid arthritis, 328
- Hubser maneuver, in rheumatoid arthritis evaluation, 305
- Human immunodeficiency virus infection, peripheral neuropathy in, 87–88
- Huntington's disease, 135–136
- Hydroxyapatite crystal deposition disease, radiographic evaluation of, 242–244
- Hyperesthesia, in neurologic disorders, 51, 82
- Hyperglycemia, peripheral neuropathy in, 84
- Hyperkinesia, in Huntington's disease, 135–136
- Hypermobility, of joint, pathomechanics of, 264–265
- Hypertonia, assessment of, 12
tone-reducing orthoses for, 162
- Hypokinetic movement disorders, corticobasalganglionic degeneration, 134
dystonia, 134–135
Parkinson's disease, 127–132, 146
progressive supranuclear palsy, 132–133
Shy-Drager syndrome, 133
striatonigral degeneration, 133–134
- Hyporeflexia, in neurologic disorders, 53
- Hypothyroidism, neuropathy in, 20–21, 85
- Hypotonia, assessment of, 12
- Hysterical gait, 149
- Immersion foot, symptoms of, 64
- Immunization, tetanus, guidelines for, 585–595
- Implant arthroplasty, in rheumatoid arthritis, in hallux valgus, 368–369
of first metatarsophalangeal joint, 296–297
- Inclusion body myositis, diagnosis of, 77
- Incontinence, urinary, in spinal cord diseases, 58
- Infections, peripheral neuropathy in, 86–88
- Inflammatory arthritis, types of, 225
- Inflammatory demyelinating neuropathy, acute (Guillain-Barré syndrome), 54, 121
chronic, symptoms of, 54
versus compression and entrapment neuropathies, 121
- Inflammatory myopathy, diagnosis of, 77
- Injury, nerve. See *Nerve(s), injury of*.
- Insensitive foot, in diabetic neuropathy, 84
- Interdigital nerves, compression neuropathy of, 111–113, 193–195
- Interphalangeal joint(s), arthrodesis of, in rheumatoid arthritis, 294
- Intramedullary nailing, in metatarsal fractures, 647
in tibiotalar arthrodesis, 346–347
- Inversion, posterior tibial tendon function in, 402
- Jendrassik's maneuver, in reflex testing, 53
- Jogger's foot, in medial plantar nerve entrapment, 110
- Joint(s), biomechanics of. See *Biomechanics, of joints*.
- rheumatic disease of. See *Rheumatic disease*.
- space narrowing in, radiographic evaluation of, in osteoarthritis, 245
in psoriatic arthritis, 235, 237
in Reiter's syndrome, 232–233
in rheumatic disease, 217–218
in rheumatoid arthritis, 226, 288, 307
- space widening in, radiographic evaluation of, in psoriatic arthritis, 235, 237
in rheumatic disease, 217
in rheumatoid arthritis, 225
- Kidney failure, peripheral neuropathy in, 85
- Kirby-Skive orthosis, 160–161, 167–168
- Kirschner wires, for rheumatoid arthritis forefoot reconstruction, 294
in metatarsal fractures, 647
in triple arthrodesis, in posterior tibial tendon dysfunction, 537
- Klenzak ankle joint, for orthoses, 164
- Knee-ankle-foot orthoses, in neuromuscular disorders, 171–173
- Lambert-Eaton syndrome, symptoms of, 55–56
- Larmon procedure, for rheumatoid arthritis forefoot reconstruction, 292
- Lateral malleolar index, in orthoses, 159–160
- Lauge-Hansen classification, of malleolar fractures, 687–698, 699
of pilon fractures of distal tibia, 746–747, 748
- Lead intoxication, caused by gunshot wounds, 613

- Lead neuropathy, 93
 Legal issues, neurologic examination and, 2, 4
 Leprosy, peripheral neuropathy in, 86–87
 sensory examination in, Semmes-Weinstein monofilaments in, 33
 Levodopa-carbidopa, in Parkinson's disease, 130–131
 Licked candy stick appearance, in psoriatic arthritis, 237
 Limping, in leg pain, 148
 LisFranc's ligament, 644
 Longitudinal arch, flattening of, in rheumatoid arthritis, 328
 Lou Gehrig's disease (amyotrophic lateral sclerosis), diagnosis of, 69
 symptoms of, 57–58
 versus compression and entrapment neuropathies, 122–123
 Lower extremity, gunshot wounds to, 597–615
 Lower extremity axis of balance, in orthoses, 158–159
 Lumbar radiculopathy, versus compression and entrapment neuropathies, 122
 Lyme disease, peripheral neuropathy in, 87
- Magnetic resonance imaging, in lateral ankle injuries, 666–667
 in rheumatoid arthritis, 330, 381
 of posterior tibial tendon dysfunction, 428–436, 562, 564
 Malleolar fractures, 679–723
 and fibular fractures, treatment of, 705–709
 classification of, 685–598
 complications of, 715–716
 Danis-Weber classification of, 686–687
 evaluation of, 698–702
 history and physical examination in, 698–700
 Lauge-Hansen classification of, 687–698, 699
 medial, treatment of, 712–714
 open versus closed reduction of, 703–704
 operative treatment of, 703–704
 posterior, 714–715
 postoperative care in, 715
 pronation-abduction type, 695–697
 pronation-external rotation type, 697–698
 radiographic findings in, 700–702
 supination-adduction type, 688–692
 supination-external rotation type, 692–695
 treatment of, 702–715
 principles of, 702, 703
 Malleolar pad, lateral, in acute lateral ankle sprain, 668, 669
- Malnutrition, peripheral neuropathy in, 89–90
Marche à petit pas gait, 147
 MBA implant, in posterior tibial tendon dysfunction, 479–490, 503–504
 advantages of, 487
 appearance of, 482
 biomechanics of, 480
 case study of, 481, 483
 contraindications for, 488
 indications for, 487–488
 instrumentation for, 482
 technique for, 483, 485
- Metabolic myopathy, 77
- Metatarsalgia, in rheumatoid arthritis, 286
 shoe modifications for, 290
 Morton's, 111–113, 193–195
- Metatarsal(s), anatomy of, 644–645
 biomechanics of, 268–269, 645
 fractures of, classification of, 645–646
 management of, closed reduction for, 646
 open reduction for, 646–655
 mechanisms of, 643
 new fixation technique for, 643–657
 heads of, resection of, in rheumatoid arthritis, 295, 369
 lesser, stress fractures of, 631–642
- Metatarsocuneiform joint, arthrodesis of, in rheumatoid arthritis, 317–321
- Metatarsophalangeal joint(s), biomechanics of, 268–269
 rheumatoid arthritis of, 364–365
 arthrodesis of, 297–298
 arthroplasty of, 296–297
 resection of, 369
 synovectomy in, 294
- Methotrexate, in psoriatic arthritis, 282
 in rheumatoid arthritis, 275–277
- Methylprednisolone, in rheumatoid arthritis, 274
- Midfoot, rheumatoid arthritis of. See *Rheumatoid arthritis, of midfoot*.
- Midtarsal joint, biomechanics of, 268
 function of, in planar dominance, 414–415
 instability of, 414–415
 locking of, 415
 unlocking of, 412
- Mineralization, bone, radiographic evaluation of, in rheumatic disease, 216–217
- in systemic lupus erythematosus, 250
- Minocycline, in rheumatoid arthritis, 280
- Mixed connective tissue disease,
 radiographic evaluation of, 253
- Monoarthritis, definition of, 260
- Monofilaments, Semmes-Weinstein, in sensory examination, 32–34, 42–44, 187

- Mononeuropathy, diagnosis of, 71
 Mononeuropathy multiplex, 54
 versus compression and entrapment neuropathies, 121
 Monoparesis, in neurologic disorders, 51
 Monoplegia, in neurologic disorders, 51
 Morton's neuroma, 111–113, 193–195
 Motor examination, 10–14
 Motor nerve conduction studies, 21
 Motor neuron disorders. See also specific disorders
 diagnosis of, 67–69
 Motor neuropathy, multifocal, versus amyotrophic lateral sclerosis, 58
 symptoms of, 51–53
 Motor unit potential, in electromyography, 24
 Mouse ears appearance, in joint erosion, 219
 Movement disorders, 127–139
 cerebellar, 136–137
 corticobasalganglionic degeneration, 134
 dystonia, 134–135
 Huntington's disease, 135–136
 Parkinson's disease, 127–132, 146
 progressive supranuclear palsy, 132–133
 Shy-Drager syndrome, 133
 striatoniagonal degeneration, 133–134
 tic disorders, 137–138
 Multiple crush syndrome, in nerve injury, 187–188
 Muscle(s), atrophy of, in Charcot-Marie-Tooth disease, 91
 in motor examination, 11
 in motor neuron disorders, 68
 in neurologic disorders, 52
 in peripheral neuropathy, 53
 biopsy of, in myopathy, 77
 diseases of. See also *Neuromuscular disorders*.
 diagnosis of, 75–77
 symptoms of, 55
 examination of, 10–14
 in rheumatoid arthritis, 305
 tibial nerve entrapment in, 107
 tone of, assessment of, 11–12
 reduction of, orthoses for, 162
 Muscular dystrophies, 75
 Myasthenia gravis, diagnosis of, 74–75
 symptoms of, 55–56
 Myelitis, transverse, causes of, 59–60
 Myelopathy, symptoms of, 58–60
 Myopathy, diagnosis of, 75–77
 symptoms of, 55
 versus compression and entrapment neuropathies, 123
 Myotomes, in motor examination, 11
- Nailing, intramedullary, in tibiotalar arthrodesis, 346–347
- Navicular, accessory, posterior tibial tendon dysfunction in, 571–573
 flexor digitorum longus transfer through, in posterior tibial tendon dysfunction, 463–465, 467, 503, 566
 flexor hallucis longus transfer through, in posterior tibial tendon dysfunction, 468, 503
 support of, in posterior tibial tendon dysfunction, 447
- Navicular-cuneiform arthrodesis, in rheumatoid arthritis, 316–317
- Necrosis, avascular, in triple arthrodesis, 544
- Needle examination, of muscles. See *Electromyography*.
- Nerve conduction studies, abnormalities detected in, 27–28
 F wave in, 23
 H reflex in, 23
 in amyotrophic lateral sclerosis, 69
 in anterior horn cell diseases, 57
 in injury, 72
 in peroneal nerve injury, 117
 in tarsal tunnel syndrome, 109
 instrumentation for, 24–26
 methodology of, 26–27
 motor, 21
 purpose of, 21
 sensory, 21–23
- Nerve fibers, physiology of, 178–179
- Nerve plexus diseases, symptoms of, 56, 58
- Nerve root diseases, symptoms of, 56–58
- Nerve(s), action potentials of, in nerve surgery, 190
 anatomy of, 98
 biopsy of, in peripheral neuropathy, 83
 components of, 81
 fibrosis of, neurolysis of, 189–192
 grafting of, 198
 injury of. See also *Compression and entrapment neuropathies*.
 anatomic considerations in, 177–183
 classification of, 72–73, 99–100, 183–186
 double crush hypothesis of, 187
 etiology of, 176–177
 examination in, 185, 187–188
 multiple crush syndrome in, 187–188
 pathophysiology of, 20
 penetrating, 176–177
 prognosis for, 176
 surgical treatment of. See *Nerve(s), surgery on*.
 traumatic, 176–177
 physiology of, 98
 reconstruction of, 198, 201
 regeneration of, after neurolysis, 191
 resection of (neurectomy), 192–196, 200–201

- stump of, replantation of, 193
 surgery on, 175-204
 - anatomic considerations in, 177-183
 - complications of, 199-201
 - examination for, 185, 187-188
 - expectations in, 176
 - grafting, 198
 - indications for, 188
 - injury etiology and, 176-177
 - instruments for, 188
 - neurectomy, 192-196, 200-201
 - neurolysis, 189-192
 - neurorhaphy, 196-198
 - postoperative course of, 192
 - principles of, 188-189
 - prognosis after, 176
 - reconstruction, 198, 201
 - versus injury type, 183-185
- Neuralgia, Morton's**, 111-113
- Neurapraxia**, definition of, 20, 72
 - pathophysiology of, 99-100, 183-184
- Neurectomy**, 192-196, 200-201
- Neurologic examination**, 1-17
 - basic concepts of, 2-3
 - before nerve surgery, 185, 187-188
 - hidden patient agendas in, 4
 - history in, 3-4
 - importance of, 1-2
 - in peripheral neuropathy, 82
 - in rheumatoid arthritis, 305
 - physical examination in, 4-16
 - integrated sensory-motor function, 14-16
 - motor, 10-14
 - sensory. See *Sensory examination*.
 - social history in, 4
- Neurology**, compression and entrapment neuropathies. See *Compression and entrapment neuropathies*.
- consultation on, 2, 10
- diagnostic algorithms for, 67-79
- differential diagnosis in, 49-66, 120-124
- electromyography in, 19-28
- gait disorders, 141-151
- movement disorders, 127-139
- nerve surgery, 175-204
- neurologic examination in, 1-17, 82, 185, 187-188
- orthoses in, 153-174
- peripheral neuropathy. See *Peripheral neuropathy*.
 - sensory examination in, 29-47
- Neurolysis**, external, 189-192
- Neuroma-in-continuity**, 184
- Neuroma(s), Morton's**, 111-113, 193-195
 - postoperative, 200
 - resection of, 192-196
- Neurometer CPT/C**, in sensory examination, 31, 39-41
- Neuromuscular disorders**. See also specific disorders.
- diagnosis of, 67-79
- entrapment neuropathy, 72-73
 - motor neuron, 67-69
 - muscle disorders, 75-77
 - neuromuscular junction disorders, 74-75
 - peripheral neuropathy, 69-72
 - orthoses in. See *Orthoses*.
- Neuromuscular facilitation orthoses**, 162
- Neuromuscular junction diseases**,
 - diagnosis of, 74-75
 - symptoms of, 55-56
- Neuronopathy**, diagnosis of, 71
- Neurons**, physiology of, 177-178
- Neuropathic osteoarthropathy**,
 - radiographic evaluation of, 253-255
- Neurorhaphy**, 196-198
- Neuromesis**, definition of, 20, 72
 - pathophysiology of, 100, 184
- Neutral position**, of joint, 263
- Niacin deficiency**, peripheral neuropathy in, 89
- Nodules**, rheumatoid, in rheumatoid arthritis, 288
- Nonsteroidal anti-inflammatory drugs**, in ankylosing spondylitis, 280-281
 - in Reiter's syndrome, 281
 - in rheumatoid arthritis, 272-273, 341
- Nonunion**, of talonavicular arthrodesis, in posterior tibial tendon dysfunction, 505, 524
 - of triple arthrodesis, in posterior tibial tendon dysfunction, 544
- Numbness**, in peripheral neuropathy, 53
- Nutt classification**, of gait disorders, 145
- Offset heel shoe modification**, for posterior tibial tendon dysfunction, 444-445
- Oklahoma ankle joint**, for orthoses, 169
- Oligoarthritis**, definition of, 260
- O'Riain's wrinkle test**, before nerve surgery, 187
- Orthopedic functional shoes**, for posterior tibial tendon dysfunction, 444
- Orthoses**, for posterior tibial tendon dysfunction, ankle foot, 447-450
 - Helfet Heel Seat, 444
 - University of California Biomechanical Laboratory, 443-444
- for rheumatoid arthritis, of ankle, 339, 341
 - of forefoot, 290, 367
 - of midfoot, 309-310
 - of rearfoot, 382
- in neuromuscular disorders, 153-174
 - accommodative, 154
 - ankle-foot, 163-169
 - ankle joints for, 163-166, 169-170

- Orthoses (Continued)**
- assistive, 155
 - foot, 157-162
 - functional, 154-155
 - hip-knee-ankle-foot, 172-173
 - knee-ankle-foot, 171-173
 - materials for, 156
 - neuromuscular facilitation, 162
 - patellar tendon bearing braces, 170-171
 - plastic, molded ankle-foot, 167-169
 - prescription of, 155
 - protective, 154
 - shoes with, 156-157
 - types of, 154-155
- Os tibiale externum, posterior tibial tendon dysfunction in**, 501-502
- Osteoarthritis, following posterior malleolar fractures**, 716
- radiographic evaluation of, 245-247
- Osteoarthropathy, neuropathic**, radiographic evaluation of, 253-255
- Osteochondral lesions, of talar dome**. See *Talar dome, osteochondral lesions of*.
- Osteomalacia, definition of**, 260
- Osteonecrosis, radiographic evaluation of**, in systemic lupus erythematosus, 250
- Osteophytes, in posterior tibial tendon dysfunction**, 436
- Osteoporosis, definition of**, 260
- radiographic evaluation of, in ankylosing spondylitis, 231
 - in hemophilia, 248
 - in osteoarthritis, 245
 - in Reiter's syndrome, 232
 - in rheumatic disease, 216-217
 - in rheumatoid arthritis, 225, 229, 288
- Osteotomy, calcaneal**. See *Calcaneus, osteotomy of; Evans osteotomy*.
- supramalleolar, in rheumatoid arthritis**, 384-385
- Ottawa Ankle Rules**, 663
- Pain, after nerve surgery**, 201
- gait disorders in, 148
 - in diabetic neuropathy, 84
 - in medial plantar nerve entrapment, 111
 - in Morton's neuralgia, 112
 - in muscle disease, 55
 - in nerve plexus and root diseases, 56-57
 - in neurologic disorders, 50-51
 - in peripheral neuropathy, 53, 81-82
 - in spinal cord diseases, 58-59
 - in tarsal tunnel syndrome, 108-109
 - in vascular disease, 61
- Pain sensation, assessment of**, 7-8
- Pallidotomy, in Parkinson's disease**, 132
- Pannus formation, in rheumatoid arthritis**, 328-329
- Paralysis, in neurologic disorders**, 51
- Paraneoplastic syndromes, peripheral neuropathy in**, 93-94
- Paraparesis, in neurologic disorders**, 51
- Paraparetic gait, spastic**, 146
- Paraplegia, in neurologic disorders**, 51
- Paratendinitis, posterior tibial**, 559
- Paresis, in neurologic disorders**, 51
- Paresthesia, in diabetic neuropathy**, 84
- in neurologic disorders, 51
 - in peripheral neuropathy, 82
 - in peroneal nerve compression and entrapment, 116
- Parkinson's disease**, 127-132
- clinical features of, 127-129
 - gait in, 146
 - pathology of, 129-130
 - treatment of, 130-132
- Patellar tendon bearing braces**, 170-171
- Patellar tendon reflex, evaluation of**, 15
- Pathomechanics, of rheumatic diseases**, 259-270
- biomechanics primer for, 261-269
 - terminology of, 260
- Pellagra, peripheral neuropathy in**, 90
- Pencil-in-cup deformity, in joint erosion**, 217
- in psoriatic arthritis, 237
- D-Penicillamine, in rheumatoid arthritis**, 278
- Perineurium, physiology of**, 178-179
- repair of, 196-197
- Periostitis, radiographic evaluation of**, in psoriatic arthritis, 237
- in rheumatic disease, 219, 221, 223
- Peripheral nerves**. See also specific nerves
- anatomy of, 98
 - physiology of, 98
 - surgery on, 175-204
- Peripheral neuropathy**, 81-96
- causes of, 20
 - classification of, 69-72
 - diabetic. See *Diabetic neuropathy*.
 - diagnosis of, 69-71, 81-82
 - differential diagnosis of, 53-55
 - drug-induced, 85-86
 - electrophysiology of, 83
 - foot care in, 94
 - gait disorders in, 147-148
 - history of, 81-82
 - in amyloidosis, 85
 - in chronic renal failure, 85
 - in connective tissue disease, 88
 - in hypothyroidism, 85
 - in infections, 86-88
 - in malnutrition, 89-90
 - in metabolic disorders, 85. See also *Diabetic neuropathy*.
 - in paraneoplastic syndromes, 93-94
 - inherited, 90-92

- nerve biopsy in, 83
 neurologic examination in, 82
 sensory examination in, equipment for, 33, 43–44, 187
 symptoms of, 53–55, 81–82
 toxins in, 92–93
 versus anterior horn cell diseases, 58
- Peroneal muscular atrophy, 91
 Peroneal nerve, anatomic anomalies of, 115
 compression and entrapment neuropathies of, 113–118
 anatomic considerations in, 113–115
 at ankle (anterior tarsal tunnel syndrome), 118
 at knee, 116–117
 in calf, 117–118
 on dorsal foot, 118
 neuropathy of, versus anterior horn cell diseases, 57–58
- Pes cavus, in Roux-Lévy syndrome, 91
 Pes planus, definition of, 408
 in rheumatoid arthritis. See *Rheumatoid arthritis, of midfoot*.
 Pes planus valgus, definition of, 408
 in posterior tibial tendon dysfunction, 425, 441
 symptomatic, hip function in, 409–410
 midtarsal joint function in, 414–415
 posterior tibial tendon function in, 415–417
 subtalar joint function in, 411–414
 tibial rotation in, 410–411
 treatment of, calcaneal slide osteotomies in, 417–418
 posterior tibial tendon procedures in, 417
 subtalar joint procedures for, 413–414
 triceps surae function in, 418
- Peterson classification, of phyeal fractures of ankle, 798
- Phalen's sign, in sensory examination, 9
 Photochemotherapy, for psoriatic arthritis, 281–282
- Physeal growth plate, anatomy of, 794
 Physeal plates, anatomy of, 794
 Physical examination, 4–16
 integrated sensory-motor function, 14–16
 motor, 10–14
 observation in, 5
 patterns of involvement in, 5
 sensory. See *Sensory examination*.
- Physis, distal fibular, anatomy of, 794–795
 distal tibial, anatomy of, 794–795
- Pilon fracture(s), 743–767
 AO classification of, 751, 752, 753
 classification of, 746–751, 752, 753
 collateral injuries in, 743–744, 745, 746
 complications of, 762–763
 diagnosis of, 751–753
- Lauge-Hansen classification of, 746–747,
 748
 mechanisms of injury in, 744–746
 postoperative care following, 761–762
 Ruedi and Allgower classification of, 747–748, 749
 treatment of, 753–768
 closed reduction, 754–755
 external fixation, 759–761, 760
 internal fixation, 756–759, 760
 open reduction, 755–756
- Pinprick test, in pain sensation assessment, 8
- Planar dominance, 407–421
 hip in, 409–410
 midtarsal joint in, 414–415
 posterior tibial tendon in, 415–417
 stabilizing methods for, 417–418
 subtalar joint in, 411–414
 terminology of, 407–408
 tibia in, 410–411
 triceps surae in, 418
- Plane of motion, of joint, 261
- Plantar digital paresthesia, transient, 113
 Plantar fascia attachments, rheumatoid arthritis of, 329
- Plantar fasciitis, versus plantar nerve entrapment, 111
- Plantar nerve, compression and entrapment neuropathies of, anatomic considerations in, 105–106
 electromyography in, 27
 lateral, 110–111
 medial, 110
 Morton's neuralgia in, 111–113
 Plantarflexion, posterior tibial tendon function in, 402
- Plastic, molded ankle-foot orthoses, in neuromuscular disorders, 167–169
- Plate fixation, compression blade, of tibiotalar arthrodesis, 345–346
 in metatarsal fractures, 646–647
- PLEXopathy, versus anterior horn cell diseases, 58
- Plumbism, 93
- Polyarteritis nodosa, peripheral neuropathy in, 88
- Polyarthritis, definition of, 260
- Polymyositis, diagnosis of, 77
 radiographic evaluation of, 252–253
- Polyneuropathy, versus compression and entrapment neuropathies, asymmetric axonal, 121
 demyelinating, 120–121
 symmetric axonal, 121–122
- Polyphasic potential, in electromyography, 24
- Popliteal fossa, tibial nerve compression and entrapment in, 107
- Positive sharp waves, in electromyography, 24

- Postprocedure, for rheumatoid arthritis
 forefoot reconstruction, 294
- Posterior tarsal syndrome, 108–110
- Posterior tibial tendon dysfunction,
 399–406
- accessory navicular in, 571–573
 - anatomic considerations in, 399–401, 415–416, 440–441, 558
 - chronic rupture, **423–438**
 - anatomic considerations in, 423–424, 429–430
 - biomechanics of, 425–426
 - clinical features of, 425
 - etiology of, 424–425
 - magnetic resonance imaging of, 428–436
 - osteophytes in, 436
 - radiography of, 426–427
 - sinus tarsi syndrome in, 434, 436
 - tenosynovitis in, 434–435
 - treatment of, 436–437
 - type I, 431–433, 435, 437
 - type II, 431–433, 437
 - type III, 432, 434, 437
 - classification of, 404–405, 454, 533
 - clinical features of, 440
 - diagnosis of, 502–503
 - dislocation, 570–571
 - equinus deformity with, treatment of, 511
 - etiology of, 439–440, 453–454, 501–502
 - evaluation of, 442
 - exertional compartment syndrome in, 573–575
 - functional considerations in, 401–402, 415–417, 558–559
 - in athletes, **557–577**
 - pathology of, 439–440
 - pathophysiology of, 402–405
 - planar dominance and, **407–421**
 - recurrence of, after triple arthrodesis, 543
 - risk factors for, 480
 - stages of, 404
 - tears, causes of, 565
 - classification of, 559
 - diagnosis of, 565–566
 - prognosis for, 561
 - treatment of, 566–569
 - tenosynovitis, etiology of, 560–561
 - imaging of, 562, 564
 - prevention of, 564–565
 - stenosing, 575
 - terminology of, 559
 - treatment of, 565
 - treatment of, advancement in, 417
 - augmentation of, 417
 - calcaneal osteotomy in, 417–418, **491–499**
 - Cobb procedure in, **471–477**
 - conservative, **439–451**, 503
 - double arthrodesis in, 546–547, 568–570
 - end-stage, arthrodesis in, **527–555**
 - Evans osteotomy in, 417, 492–493
 - flexor digitorum longus tenodesis in, 459–463, 466
 - flexor digitorum longus transfer in, 463–465, 467, 503, 566
 - in chronic rupture, 436–437
 - MBA implant in, **479–490**, 503–504
 - medial column stabilization in, 480
 - orthoses in, 443–444, 447–450
 - posterior muscle group tendon procedures in, **453–470**
 - procedures for, 503–504
 - repair in, 417
 - shoes in, 444–447
 - subtalar arthrodesis in, 504
 - surgical decompression in, 455–459
 - talonavicular arthrodesis in, **501–526**, 568–570
 - triple arthrodesis in, **504, 527–555**
 - variant anatomy in, 405
- Posting medial heel and sole, for posterior tibial tendon dysfunction, 446
- Postpolio syndrome, versus amyotrophic lateral sclerosis, 58
- Posture, control of, 142
 - in elderly persons, 149
 - in Parkinson's disease, 146
 - instability of, in Parkinson's disease, 129
- Prednisolone, in rheumatoid arthritis, 274
- Prednisone, in rheumatoid arthritis, 274–275
 - preoperative withdrawal of, 341
- Pressure perception threshold, in sensory examination, with Semmes-Weinstein monofilaments, 32–33
- Progressive hypertrophic neuropathy, 91
- Progressive supranuclear palsy, 132–133
- Projectile-tissue interaction, in wound ballistics, 598–599
- Proprioception, assessment of, 8–9
- Pseudarthrosis, in triple arthrodesis, 544
- Psoralen with ultraviolet light, in psoriatic arthritis, 282
- Psoriatic arthritis, radiographic evaluation of, 234–235, 237–239
 - treatment of, 281–282
- Puncture Wound Scoring System, University of Texas, 590
- Puncture wounds, of foot, antibiotics in, 593–595
 - clinical evaluation of, 584
 - clinical presentation of, 584, 585
 - in diabetes mellitus, 589
 - radiographic evaluation in, 586–588
 - surgical incision and drainage of, 590–592, 593, 594

- treatment of, 589–595
 wound inspection in, 585–586
 wound microbiology and, 588–589
PUVA (psoralen with ultraviolet light), in psoriatic arthritis, 282
- Quantitative sensory testing paradigm**, in sensory examination, 30–31, 42–44
- Radiculopathy**, lumbar, versus compression and entrapment neuropathies, 122
 symptoms of, 56–58
 versus anterior horn cell diseases, 58
- Radiography**, in calcaneal fractures, 773–775, 776
 in high ankle sprain, 673–674
 in lateral ankle injuries, 663–667
 in malleolar fractures of ankle, 700–702
 in osteochondral lesions of talar dome, 730–731, 733–734
 in physisal fractures of ankle, 798
 in puncture wounds of foot, 586–588
 in rheumatic disease, 215–258
 ankylosing spondylitis, 231
 calcium hydroxyapatite crystal deposition, 242–244
 calcium pyrophosphate dihydrate crystal deposition, 244–245
 collagen vascular, 249–253
 crystal deposition, 239–245
 degenerative, 245–248
 dermatomyositis, 252–253
 findings in, bone mineralization, 216–217
 bone production, 219, 221, 223
 dislocation, 221
 erosion, 217, 219–220, 222
 joint space narrowing, 217–218
 soft-tissue calcification, 224
 soft-tissue swelling, 224
 subluxation, 221, 224
 gout, 239–242
 hemophilia, 247–248
 inflammatory, 225–239
 mixed connective tissue disease, 253
 neuropathic osteoarthropathy, 253–256
 osteoarthritis, 245–247
 polymyositis, 252–253
 psoriatic arthritis, 234–235, 237–239
 Reiter's syndrome, 231–234, 236
 rheumatoid arthritis, 225–230
 ankle, 339–340
 forefoot, 288–289, 366
 hindfoot, 379–380
 midfoot, 306–309
 scleroderma, 250, 252
 seronegative spondyloarthropathies, 230–239
 systemic lupus erythematosus, 249–251
 views for, 216
 in stress fractures, 635, 636, 637
- Radionuclide studies**, in rheumatoid arthritis, 307–308
- Range of motion**, evaluation of, in rheumatoid arthritis, 305
- Ranvier's nodes**, function of, 178
- Raynaud's disease**, symptoms of, 64
- Raynaud's phenomenon**, symptoms of, 64
- Recruitment interval**, in electromyography, 24
- Reflex sympathetic dystrophy**, symptoms of, 63
- Reflexes**, abnormalities of, 52–53
 in motor neuron disorders, 68
 assessment of, 14–16, 52
- Refrsum's disease**, 92
- Reiter's syndrome**, radiographic evaluation of, 231–234, 236
 treatment of, 281
- Retrocalcaneal bursa**, rheumatoid arthritis of, 329
- Rheumatic disease**. See also *Rheumatoid arthritis*.
 arthroscopy in, 261
 diagnosis of, 260
 differential diagnosis of, 260
 laboratory tests for, 261
 of ankle joint, 337–361, 373–389
 pathomechanics of, 266–269
 of forefoot, 363–371
 of hindfoot, 373–389
 of midfoot, 303–326
 of rearfoot, 327–336
 pathomechanics of, 259–270
 biomechanics primer for, 261–269
 terminology of, 260
 radiographic evaluation of. See *Radiography, in rheumatic disease*.
 terminology of, 260
 treatment of, in ankle joint problems, 337–361
 in midfoot problems, 303–326
 in rearfoot problems, 327–336
 pharmacologic, 271–284
 reconstructive surgery in, 285–301
- Rheumatoid arthritis**, classification of, 286
 computed tomography in, 380–381
 diagnosis of, 271–272
 criteria for, 286
 differential diagnosis of, 330
 distribution of, in foot and ankle, 364
 magnetic resonance imaging in, 381
 of ankle, 373–389. See also *Rheumatoid arthritis, of tibiotalar joint*.

- Rheumatoid arthritis (*Continued*)
- arthrodesis in, 385–386
 - clinical course of, 375
 - clinical features of, 376–379
 - diagnosis of, 379–381
 - epidemiology of, 375
 - total arthroplasty in, 342, 386
 - treatment of, 381–386
 - of forefoot, 285–301, 363–371
 - biomechanical abnormalities in, 288–289
 - clinical features of, 286–290, 365–366
 - epidemiology of, 363–364
 - pathology of, 285–286
 - pathophysiology of, 364–365
 - radiographic evaluation of, 366
 - treatment of, 366–369
 - conservative, 290–291
 - digital correction in, 292–294
 - first metatarsophalangeal joint arthrodesis in, 297–298
 - first metatarsophalangeal joint arthroplasty in, 296–297
 - goals of, 290
 - hallux deformity correction in, 368–369
 - lesser metatarsophalangeal joint resection in, 369
 - nonoperative, 366–367
 - rearfoot involvement with, 331
 - surgical, 291–298, 367–369
 - of midfoot, 303–326
 - clinical features of, 304–306
 - radiographic evaluation of, 306–309
 - surgical treatment of, calcaneocuboid arthrodesis in, 320, 322–324
 - navicular–cuneiform arthrodesis in, 316–317
 - preoperative assessment for, 310
 - procedures for, 310–312
 - talonavicular arthrodesis in, 313–316
 - tarsometatarsal arthrodesis in, 317–321
 - treatment of, 309–320
 - nonoperative, 309–310
 - of rearfoot, 327–336, 373–389
 - clinical course of, 375
 - clinical features of, 376–379
 - diagnosis of, 328–329, 379–381
 - epidemiology of, 374
 - imaging of, 329–330
 - pathophysiology of, 327–328, 374–375
 - surgical treatment of, 330–336
 - planning for, 330–331
 - principles of, 331
 - subtalar arthrodesis in, 333–335
 - talonavicular arthrodesis in, 331–333
 - triple arthrodesis in, 335–336
 - treatment of, 381–386
 - of tibiotalar joint, 337–361
 - arthrodesis for, alignment in, 352, 354
 - alternatives to, 342
 - approaches to, 348–349, 351
 - arthroscopic approach to, 345
 - closure of, 354–355
 - compression blade plate fixation in, 345–346
 - external fixation in, 343–344
 - indications for, 347
 - intramedullary nailing in, 346–347
 - joint preparation in, 348, 350–351, 353
 - optimal position for, 342–343
 - preoperative assessment for, 341–342
 - preoperative considerations in, 339, 341
 - results of, 338
 - screw fixation in, 344–345, 354, 356–358
 - technical considerations in, 347
 - conservative treatment of, 339, 341
 - epidemiology of, 337–338
 - evaluation of, 339–340
 - literature review of, 338
 - pathogenesis of, radiographic manifestations of, 306–309
 - pathophysiology of, 327–328, 329–330
 - peripheral neuropathy in, 88
 - radiographic evaluation of, 225–230
 - ankle, 339–340
 - forefoot, 288–289, 366
 - hindfoot, 379–380
 - midfoot, 306–309
 - stages of, 329–330
 - talonavicular arthrodesis in, 505
 - treatment of, 271–284. See also *Arthrodesis*.
 - ankle, 381–386
 - antibiotics in, 279
 - azathioprine in, 279
 - combination therapy in, 279–280
 - corticosteroids in, 273–275
 - cyclosporine in, 278
 - disease-modifying antirheumatic drugs in, 275
 - forefoot. See *Rheumatoid arthritis, of forefoot, treatment of*
 - gold compounds in, 277
 - in preoperative period, 310
 - methotrexate in, 275–277
 - midfoot, 303–326
 - nonsteroidal anti-inflammatory drugs in, 272–273
 - D-penicillamine in, 278
 - rearfoot, 330–336, 381–386
 - sulfasalazine in, 277–278
 - ultrasonography in, 381

Rheumatoid factor, in rheumatoid arthritis, 272

- Rheumatoid nodules, in rheumatoid arthritis, 288
- Rickets, definition of, 260
- Rigidity, assessment of, 12
in neurologic disorders, 52
in Parkinson's disease, 129
- Romberg's test, of proprioception, 8-9
- "Round foot of rheumatism," 287
- Roussy-Lévy syndrome, 91
- Ruedi and Allgower classification, of pilon fractures of distal tibia, 747-748, 749
- Rupture, of posterior tibial tendon, chronic. See *Posterior tibial tendon dysfunction, chronic rupture*.
- Saltatory conduction, 178
- Salter and Harris classification, of phyeal fractures of ankle, 796-797, 799
- Saphenous nerve, compression and entrapment neuropathies of, anatomic considerations in, 119-120
- Sausage digit, in Reiter's syndrome, 234
- Scar tissue, nerve, neurolysis of, 189-192
- Schwann's cells, function of, 178
- Sciatic nerve, anatomy of, 102
injury of, lower leg disorders in, 120
- Scissors gait, 146
- Scleroderma, radiographic evaluation of, 250, 252
- Sclerosis, subchondral, radiographic evaluation of, in rheumatic disease, 221
- Scott-Craig ankle-foot orthoses, in neuromuscular disorders, 164
- Screw fixation, of talonavicular arthrodesis, 316
of tibiotalar arthrodesis, 344-345, 354, 356-358
- Screws, in triple arthrodesis, in posterior tibial tendon dysfunction, 535, 537-540
- Seagull appearance, in joint erosion, 219, 222
- Seddon classification, of nerve injury, 20, 183-184
- Segmental reserve length, of nerve vascular system, 180, 182
- Selegiline, in Parkinson's disease, 130
- Semmes-Weinstein monofilaments, in sensory examination, 32-34, 42-44, 187
- Senile gait, 149
- Sensorimotor neuropathy, in paraneoplastic syndromes, 93-94
- Sensory ataxia, 147-148
- Sensory disorders, after neurectomy, 201
in alcoholic neuropathy, 92
in peripheral neuropathy, 81-82
in peroneal nerve compression and entrapment, 116
in saphenous nerve injury, 119
in spinal cord diseases, 58
symptoms of, 50-51
- Sensory examination, 6-10, 29-47
before nerve surgery, 185, 187
- Bio-Thesiometer in, 31, 36-39, 42-44
- Computer-Aided Sensory Evaluator (CASE) in, 31, 41-42
- electrodiagnostic studies in. See *Electrodiagnostic studies*.
- goal of, 6
- mapping of abnormality boundaries in, 6-7
- Neurometer CPT/C in, 31, 39-41
- quantitative sensory testing paradigm in, 30-31, 42-44
- Semmes-Weinstein monofilaments in, 32-34, 42-44, 187
- subjective aspects of, 29-30
- Tactile Circumferential Discriminator in, 34-35, 42
techniques in, 7-10
- Thermal Sensitivity Tester in, 31, 39, 43
- Vibratron II in, 39
- Sensory-motor function examination, 14-16
- Sensory nerve conduction studies, 21-23
- Seronegative spondyloarthropathies, radiographic evaluation of, 230-239
ankylosing spondylitis, 231
psoriatic arthritis, 234-235, 237-239
Reiter's syndrome, 231-234, 236
treatment of, 280-282
- Shoes, examination of, in rheumatoid arthritis evaluation, 304
for military trainees, 639
for posterior tibial tendon dysfunction, 444-447
custom-molded, 444
extended Thomas heel in, 446
flanged heel in, 445
navicular support in, 447
offset heel in, 444-445
orthopedic functional, 444
posting medial heel and sole in, 446
for rheumatoid arthritis, after forefoot reconstruction, 298
of ankle, 339, 341
of forefoot, 290, 366-367
of midfoot, 309-310
of rearfoot, 382
with orthoses, 156-157
- Shy-Drager syndrome, 133
- Single-heel-rise test, in posterior tibial tendon dysfunction, 562-563
- Sinus tarsi syndrome, in posterior tibial tendon dysfunction, chronic rupture, 434, 436
- Skin lesions, in rheumatoid arthritis, 288
- Smith STA peg, in subtalar joint stabilization, 413-414

- Soft-tissue, calcification of, in calcium pyrophosphate dihydrate crystal deposition disease, 244 radiographic evaluation of, in calcium hydroxyapatite crystal deposition disease, 243 in polymyositis, 253 in rheumatic disease, 224 in scleroderma, 252 in systemic lupus erythematosus, 250–251 swelling of, radiographic evaluation of, in gout, 241–242 in hemophilia, 248 in psoriatic arthritis, 239 in Reiter's syndrome, 233–234 in rheumatic disease, 224 in rheumatoid arthritis, 228, 288 in scleroderma, 252 in systemic lupus erythematosus, 250
- Spasticity, assessment of, 12 in neurologic disorders, 52 orthoses in. See *Orthoses*. paraparetic gait in, 146
- Spinal cord, diseases of, symptoms of, 58–60 in gait control, 142–143
- Spinal shock, in spinal cord diseases, 59
- Split stirrup ankle-foot orthoses, in neuromuscular disorders, 164–165
- Spondyloarthropathies, seronegative, radiographic evaluation of, 230–239 ankylosing spondylitis, 231 psoriatic arthritis, 234–235, 237–239 Reiter's syndrome, 231–234, 236 treatment of, 280–282
- Sports medicine. See *Athletes*.
- Spring assist ankle joint, for orthoses, 170
- Stance, biomechanics of, observation of, 265–266
- Staples, in triple arthrodesis, in posterior tibial tendon dysfunction, 535, 537–538
- Steinmann pins, in metatarsal fractures, 647–649, 650, 651, 652–655
- Steppage gait, 148 in peroneal nerve compression and entrapment, 116
- Stereognosis, assessment of, 10 Stocking-glove distribution, of sensory abnormalities, 7 in peripheral neuropathy, 53
- Strength, assessment of, in rheumatoid arthritis, 305 muscle, assessment of, 12–14
- Strengthening exercise, in posterior tibial tenosynovitis, 565
- Stress fractures, definition of, 631–632, 633 lesser metatarsal, 631–642 diagnosis of, 635–636, 637, 638 during physical training, awareness of, 640 etiology of, 633–635 incidence of, in military trainees, 632 prevention of, 639–640 risk factors for, 634 treatment of, 636–639
- Striatonigral degeneration, 133–134
- Stump neuroma, postoperative, 200
- Subchondral sclerosis, radiographic evaluation of, in rheumatic disease, 221
- Subluxation, of joints, pathomechanics of, 264–265 radiographic evaluation of, in osteoarthritis, 245 in Reiter's syndrome, 234, 236 in rheumatic disease, 221, 224 in rheumatoid arthritis, 227, 229 in systemic lupus erythematosus, 250–251
- Subtalar joint, arthrodesis of, in posterior tibial tendon dysfunction, 504, 547–552 in athletes, 568–570
- in rheumatoid arthritis, 333–334
- biomechanics of, 267–268 function of, in planar dominance, 410–414
- hypermobile, arthroereisis of, 413–414 MBA implant in, 481–490, 503–504 rheumatic disease of, pathomechanics of, 267–268
- Subtalar neutral position, with orthoses, 158
- Sudeck's atrophy, 63
- Sudomotor function, preoperative testing of, 187
- Sulfasalazine, in ankylosing spondylitis, 281 in psoriatic arthritis, 282
- in rheumatoid arthritis, 277–278
- Sunderland classification, of nerve injury, 184–186
- Supramalleolar osteotomy, in rheumatoid arthritis, 384–385
- Sural nerve, compression and entrapment neuropathies of, anatomic considerations in, 118–119
- Swelling, soft-tissue, radiographic evaluation of, in gout, 241–242 in hemophilia, 248 in psoriatic arthritis, 239 in Reiter's syndrome, 233–234 in rheumatic disease, 224 in rheumatoid arthritis, 228, 288 in scleroderma, 252 in systemic lupus erythematosus, 250

- Symmetric axonal polyneuropathy, versus compression and entrapment neuropathies, 121–122
- Symmetry, of joint motion, 263
- Syndactylization, with hemiphalangeectomy, in rheumatoid arthritis, 293–294
- Syndesmosis of ankle. See *Ankle, syndesmosis of*.
- Synovectomy, of metatarsophalangeal joint, in rheumatoid arthritis, 294
- Synovitis, in rheumatoid arthritis, 373 of forefoot, 364 of rearfoot, 328
- Systemic lupus erythematosus, peripheral neuropathy in, 88 radiographic evaluation of, 249–251
- T-strap, in ankle-foot orthosis, 166
- Tactile Circumferential Discriminator, in sensory examination, 34–35, 42
- Tadpoles, in nerve injury histology, 99
- Talar dome, osteochondral lesions of, 725–742 bone scans in, 731, 732 cause of, 726–727 classification of, 728–729 diagnosis of, 728–731, 732 historical review of, 726 incidence of, 727–728 radiographic examinations in, 730–731, 733–734 terminology associated with, 725 treatment of, arthroscopic, 737 conservative, 731–734 materials and methods for, 737–738 results of, 738, 739 surgical, 734–737
- Talar tilt test, in lateral ankle injuries, 664–665
- Talocalcaneal arthrodesis, in triple arthrodesis. See *Triple arthrodesis*.
- Talocrural joint, arthrodesis of, in rheumatoid arthritis, 385
- Talonavicular arthrodesis. See also *Triple arthrodesis*. in posterior tibial tendon dysfunction, 501–526 adjunctive procedures with, 511 case studies of, 511–524 complications of, 524 diagnosis for, 502–503 in athletes, 568–570 in double arthrodesis, 546–547, 568–570 indications for, 504–505 nonunion in, 505, 524 postoperative management of, 511 procedure for, 505, 508–511 versus other treatments, 503–504
- Talonavicular joint, arthrodesis of, in rheumatoid arthritis, 313–316, 331–333, 383
- Talus, articulation of, 684, 685 avascular necrosis of, in triple arthrodesis, 544
- Tandem gait test, 144
- Tarsal tunnel syndrome, anterior, 118 in rheumatoid arthritis, 305, 378–379 neurolysis in, 191 posterior, 108–110
- Tarsometatarsal joint, arthrodesis of, in rheumatoid arthritis, 317–321
- Tears, of posterior tibial tendon, chronic. See *Posterior tibial tendon dysfunction, tears*.
- Temperature sensation, assessment of, 9 Thermal Sensitivity Tester in, 31, 39, 43
- Tendinosis, posterior tibial, 559
- Tendon healing, phases and stages of, 621–622
- Tendoscopy procedure, for lateral ankle stabilization, 672–673
- Tenosynovectomy, in posterior tibial tenosynovitis, 565
- Tenosynovitis, in posterior tibial tendon dysfunction, chronic rupture, 434–435 posterior tibial. See *Posterior tibial tendon dysfunction, tenosynovitis*.
- Tetanus immunization guidelines, 585–595
- Tetracycline, in Reiter's syndrome, 281 in rheumatoid arthritis, 280
- Thermal Sensitivity Tester, in sensory examination, 31, 39, 43
- Thermoplastics, for ankle foot orthosis, for posterior tibial tendon dysfunction, 448–450
- Thomas heel, extended, in shoe modification, for posterior tibial tendon dysfunction, 446
- Tibia, distal, anatomy of, 680–681 articular surface of, 681 pilon fractures of. See *Pilon fracture(s)*. intramedullary nailing of, in tibiotalar arthrodesis, 346–347
- posterior, in talar stability, 681 rotation of, in planar dominance, 410–411
- Tibial nerve, compression and entrapment neuropathies of, anatomic considerations in, 101, 105–106 in fractures, 107–108 in popliteal fossa, 107 in tarsal tunnel, 108–110 muscle involvement in, 106–107
- Tibial tendon, posterior, dysfunction of. See *Posterior tibial tendon dysfunction*.

- Tibial tendon (*Continued*)
 in rheumatoid arthritis, 377-378
 evaluation of, in rheumatoid arthritis, 305
- Tibiotalar joint, rheumatoid arthritis of.
 See *Rheumatoid arthritis, of tibiotalar joint*.
- Tic disorders, 137-138
- Tillaux fracture, juvenile, 801
- Tinel's sign, before nerve surgery, 187
 in sensory examination, 9
- Tingling, in peripheral neuropathy, 53
- Toe-raise test, for posterior tibial tendon function, in rheumatoid arthritis, 305
- Toe(s), chisel, in rheumatoid arthritis, 365
 deformities of, in rheumatoid arthritis,
 correction of, 292-294
 hammer deformity of, in rheumatoid ar-
 thritis, 286
 osteolysis in, in systemic lupus erythe-
 matosus, 250
 sausage, in Reiter's syndrome, 234
- Tone-reducing orthoses, in neuromuscular disorders, 162
- Too-many-toes sign, in posterior tibial tendon dysfunction, 502
- Tophi, in gout, 241-242
- Touch sensation, assessment of, 7
 localization, 10
- Tourette's syndrome, 137-138
- Transchondral fracture, 726
- Transverse myelitis, causes of, 59-60
- Trauma, as cause of osteochondral lesions of talar dome, 726-727
 nerve. See *Nerve(s), injury of*
 of rearfoot and ankle, 583-812
- Tremor, in Parkinson's disease, 127-128
- Trench foot, symptoms of, 64
- Triamcinolone, in rheumatoid arthritis, 274
- Triceps surae, in planar dominance, 418
- Triplane fracture, 801, 802, 803
- Triple arthrodesis, in posterior tibial tendon dysfunction, 504, 527-555
 description of, 532
 dowel fusion in, 537
 historical review of, 532, 535
 in athletes, 568-570
 indications for, 535
 internal fixation in, 535, 537-538, 540
 nonresection, 540
 pathomechanics and, 527-532
 results of, 536
 screw fixation in, 535, 537-540
 staple fixation in, 535, 537-538
 technique for, 535, 537-542
 in rheumatoid arthritis, 313, 334-335,
 383-384
- Ulcers, diabetic, 84
- versus sensory function, 34, 38-39
- Ultrasonography, in rheumatoid arthritis, 381
- University of California Biomechanical Laboratory orthosis, for posterior tibial tendon dysfunction, 443-444
- University of Texas Puncture Wound Scoring System, 590
- Urate crystals, in gout, 239-242
- Vascular system, disease of, neurologic symptoms in, 61-62
 injury of, nerve injury in, 179-183
- Vasculitis, in mononeuropathy multiplex, 54
 in rheumatoid arthritis, 288, 341
- Veteran's administration posterior clasp ankle-foot orthosis, in neuromuscular disorders, 163
- Vibration perception threshold, in sensory examination, equipment comparison for, 42-44
 with Bio-Thesiometer, 36-39, 42-44
 with Tactile Circumferential Discriminator, 35
- Vibratory sensation, assessment of, 9
- Vibratron II, in sensory examination, 39
- Vitamin deficiencies, neuropathy in, 21, 89-90
- Walking, disorders of. See *Gait disorders*.
- Wallerian degeneration, 72-73, 100, 184
 electromyography in, 28
- Weakness, gait disorders in, 148
 in alcoholic neuropathy, 92
 in brain lesions, 60-61
 in hereditary motor-sensory neuropathy, 91
 in motor neuron disorders, 68
 in muscle disease, 55
 in myopathy, 75, 77
 in neurologic disorders, 51-52
 in neuromuscular junction disorders, 55-56
 in peripheral neuropathy, 53, 82
 in peroneal nerve compression and en-
 trapment, 116
 in spinal cord diseases, 58
 in tibial nerve injury, 106-107
 orthoses in. See *Orthoses*.
- Weapons, ballistic properties of, 599
- Wernicke-Korsakoff syndrome, peripheral neuropathy in, 90

Whartenberg pinwheel, in pain sensation assessment, 8
Wolff's Law, 262–263
Wound ballistics, kinetic energy theory and, 599–601, 602, 603, 604

projectile-tissue interaction in, 598–599
shock wave theory and, 602–603
wound pathomechanics and, 603–606
Wounds, puncture. See *Puncture wounds*.
Wrinkle test, before nerve surgery, 187